

Research Article

High-Resolution Time-Frequency Methods' Performance Analysis

Imran Shafi,¹ Jamil Ahmad,¹ Syed Ismail Shah,¹ Ataul Aziz Ikram,¹ Adnan Ahmad Khan,² Sajid Bashir,³ and Faisal Mahmood Kashif⁴

¹Information and Computing Department, Iqra University Islamabad Campus, Sector H-9, Islamabad 44000, Pakistan

²College of Telecommunication Engineering, NUST, Islamabad 44000, Pakistan

³Computer Engineering Department, Centre for Advanced Studies in Engineering, Islamabad 44000, Pakistan

⁴Laboratory for Electromagnetic and Electronic Systems (LEES), MIT Cambridge, Cambridge, MA 02139-4307, USA

Correspondence should be addressed to Imran Shafi, imran.shafi@gmail.com

Received 31 December 2009; Accepted 6 July 2010

Academic Editor: L. F. Chaparro

Copyright © 2010 Imran Shafi et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

This work evaluates the performance of high-resolution quadratic time-frequency distributions (TFDs) including the ones obtained by the reassignment method, the optimal radially Gaussian kernel method, the t-f autoregressive moving-average spectral estimation method and the neural network-based method. The approaches are rigorously compared to each other using several objective measures. Experimental results show that the neural network-based TFDs are better in concentration and resolution performance based on various examples.

1. Introduction

The nonstationary signals are very common in nature or are generated synthetically for practical applications like analysis, filtering, modeling, suppression, cancellation, equalization, modulation, detection, estimation, coding, and synchronization. The study of the varying spectral content of such signals is possible through two-dimensional functions of TFDs that depict the temporal and spectral contents simultaneously [1]. Different types of TFDs are limited in scope due to multiple reasons, for example, low concentration along the individual components, blurring of autocomponents, cross terms (CTs) appearance in between autocomponents, and poor resolution. These shortcomings result into inaccurate analysis of nonstationary signals.

Half way in this decade, there is an enormous amount of work towards achieving high concentration along the individual components and to enhance the ease of identifying the closely spaced components in the TFDs. The aim is to correctly interpret the fundamental nature of the nonstationary signals under analysis in the time-frequency (TF) domain [2]. There are three open trends that make this task inherently more complex, that is, (i) concentration and resolution tradeoff, (ii) application-specific environment,

and (iii) objective assessment of TFDs [1–3]. Tradeoff between concentration and CTs' removal is a classical problem. The concepts of concentration and resolution are used synonymously in literature whereas for multicomponent signals this is not necessarily the case, and a difference is required to be established. High signal concentration is desired but in the analysis of multicomponent signals resolution is more important. Moreover, different applications have different preferences and requirements to the TFDs. In general, the choice of a TFD in a particular situation depends on many factors such as the relevance of properties satisfied by TFDs, the computational cost and speed of the TFD, and the tradeoff in using the TFD. Also selection of the most suited TFD to analyze the given signal is not straightforward. Generally the common practice have been the visual comparison of all plots with the choice of most appealing one. However, this selection is generally difficult and subjective.

The estimation of signal information and complexity in the TF plane is quite challenging. The themes which inspire new measures for estimation of signal information and complexity in the TF plane, include the CTs' suppression, concentration and resolution of autocomponents, and the ability to correctly distinguish closely spaced components.

Efficient concentration and resolution measurement can provide a quantitative criterion to evaluate performances of different distributions. They conform closely to the notion of complexity that is used when visually inspecting TF images [1, 3].

This paper presents the performance evaluation of high resolution TFDs that include well-known quadratic TFDs and other established and proven high resolution and interesting TF techniques like the reassignment method (RAM) [4], the optimal radially Gaussian kernel method (OKM) [5], the TF autoregressive moving-average spectral estimation method (TSE) [6], and the neural network-based method (NTFD) [7, 8]. The methods are rigorously compared to each other using several objective measures discussed in literature complementing the initial results reported in [9].

2. Experimental Results and Discussion

Various objective criteria are used for objective evaluation that include the ratio of norms-based measures [10], Shannon & Rényi entropy measures [11, 12], normalized Rényi entropy measure [13], Stankovi measure [14], and Boashash and Sucic performance measures [15]. Both real life and synthetic signals are considered to validate the experimental results.

2.1. Bat Echolocation Chirps Signal. The spectrogram of bat echolocation chirp sound is shown in Figure 1(a), that is blurred and difficult to interpret. The results are obtained using the TSE, RAM, OKM, and NTFD, shown in Figure 1.

The TF autoregressive moving-average estimation models for nonstationary random processes are shown to be a TF symmetric reformulation of time-varying autoregressive moving-average models using a Fourier basis [6]. This reformulation is physically intuitive because it uses time delays and frequency shifts to model the nonstationary dynamics of a process. The TSE models are parsimonious for the practically relevant class of processes with a limited TF correlation structure. The simulation result depicted in Figure 1(c) demonstrates that the TSE is able to improve on the Wigner Distribution (WVD) in terms of resolution and absence of CTs; on the other hand, the TF localization of the components deviates slightly from that in the WVD.

The reassignment method enhances the resolution in time and frequency of the classical spectrogram by assigning to each data point a new TF coordinate that better reflects the distribution of energy in the analyzed signal [4]. The reassigned spectrogram for the bat echolocation chirps signal is shown in Figure 1(d). The evaluation by various objective criteria is presented in graphical form at Figure 6 criteria comparative graphs. The analysis indicates that the results of the reassignment and the neural network-based methods are proportionate. However, the NTFD's performance is superior based on Ljubisa measure.

On the other hand, the optimal radially Gaussian kernel TFD method proposes a signal-dependent kernel that changes shape for each signal to offer improved TF representation for a large class of signals based on quantitative optimization criteria [5]. The result by this method

is depicted in Figure 1(e) that does not recover all the components missing useful information about the signal. Also the objective assessment by various criteria does not point to much significance in achieving energy concentration along the individual components.

2.2. Synthetic Signals. Four synthetic signals of different natures are used to identify the best TFD and evaluate their performance. The first test case consists of two intersecting sinusoidal frequency modulated (FM) components, given as

$$x_1(n) = e^{-j\pi((5/2)-0.1 \sin(2\pi n/N))n} + e^{j\pi((5/2)-0.1 \sin(2\pi n/N))n}. \quad (1)$$

The spectrogram of the signal is shown in Figure 2(a), referred to as test image 1 (TI 1).

The second synthetic signal contains two sets of nonparallel, nonintersecting chirps, expressed as

$$x_2(n) = e^{j\pi(n/6N)n} + e^{j\pi(1+(n/6N))n} + e^{-j\pi(n/6N)n} + e^{-j\pi(1+(n/6N))n}. \quad (2)$$

The spectrogram of the signal is shown in Figure 3(a), referred to as test image 2 (TI 2).

The third one is a three-component signal containing a sinusoidal FM component intersecting two crossing chirps, given as

$$x_3(n) = e^{j\pi((5/2)-0.1 \sin(2\pi n/N))n} + e^{j\pi(n/6N)n} + e^{j\pi((1/3)-(n/6N))n}. \quad (3)$$

The spectrogram of the signal is shown in Figure 4(a), referred as test image 3 (TI 3). The frequency separation is low enough and just avoids intersection between the two components (sinusoidal FM and chirp components) in between 150–200 Hz near 0.5 sec. This is an ideal signal to confirm the TFDs' effectiveness in deblurring closely spaced components and check its performance at the intersections.

Yet another test case is adopted from Boashash [15] to compare the TFDs' performance at the middle of the signal duration interval by the Boashash's performance measures. The authors in [15] have found the modified B distribution ($\beta = 0.01$) as the best performing TFD for this particular signal at the middle. The signal is defined as

$$x_4(n) = \cos(2\pi(0.15t + 0.0004t^2)) + \cos(2\pi(0.2t + 0.0004t^2)). \quad (4)$$

The spectrogram of the signal is shown in Figure 5(a), referred to as test image 4 (TI 4).

The synthetic test TFDs are processed by the neural network-based method and the results are shown in Figures 2(b)–5(b), which demonstrate high resolution and good concentration along the IFs of individual components. However, instead of relying solely on the visual inspection of the TF plots, it is mandatory to quantify the quality of TFDs by the objective methods. The quantitative comparison can be drawn from Figure 6 (in Figure 6, the abbreviations not mentioned earlier are the spectrogram (spec), Zhao-Atlas-Marks distribution (ZAMD), Margenau-Hill distribution




FIGURE 1: TFDs of the multicomponent bat echolocation chirp signal by various high resolution t-f methods.




FIGURE 2: TFDs of a synthetic signal consisting of two sinusoidal FM components intersecting each other. (a) Spectrogram (TI 2) [Hamm, $L = 90$], and (b) NTFD.




FIGURE 3: TFDs of a synthetic signal consisting of two-sets of non-parallel, non-intersecting chirps. (a) Spectrogram (TI 3) [Hamm, $L = 90$], and (b) NTFD.

(MHD), and Choi-Williams distribution (CWD)), where these measures are plotted individually for all the test images. On scrutinizing these comparative graphs, the NTFD qualifies the best quality TFD for different measures.

Boashash's performance measures for concentration and resolution are computationally expensive because they require calculations at various time instants. We take a slice at $t = 64$ of the signal and compute the normalized instantaneous resolution and concentration performance

measures $\mathbb{R}_i(64)$ and $\mathbb{C}_n(64)$. A TFD that, at a given time instant, has the largest positive value (close to 1) of the measure \mathbb{R}_i is the TFD with the best resolution performance at that time instant for the signal under consideration. The NTFD gives the largest value of \mathbb{R}_i at time $t = 64$ in Figure 7 and hence is selected as the best performing TFD of this signal at $t = 64$.

On similar lines, we have compared the TFDs' concentration performance at the middle of signal duration interval.




FIGURE 4: TFDs of a synthetic signal consisting of crossing chirps and a sinusoidal FM component. (a) Spectrogram (TI 4) [Hamm, $L = 90$], and (b) NTFD.




FIGURE 5: TFDs of a signal consisting of two linear FM components with frequencies increasing from 0.15 to 0.25 Hz and 0.2 to 0.3 Hz, respectively. (a) Spectrogram and (b) NTFD.

A TFD is considered to have the best energy concentration for a given multicomponent signal if for each signal component, it yields the smallest instantaneous bandwidth relative to component IF ($V_i(t)/f_i(t)$) and the smallest side lobe magnitude relative to main lobe magnitude ($A_S(t)/A_M(t)$). The results plotted in Figure 7 comparative graphs for Boashash concentration resolution measure indicate that the NTFD gives the smallest values of $\mathcal{C}_{1,2}(t)$ at $t = 64$

and hence is selected as the best concentrated TFD at time $t = 64$.

3. Conclusion

The objective criteria provide a quantitative framework for TFDs' goodness instead of relying solely on the visual measure of goodness of their plots. Experimental results




FIGURE 6: Comparison plots, numerical values of criterion versus method employed, for the test images 1–4, (a) The Shannon entropy measure, (b) Rényi entropy measure, (c) Volume normalized Rényi entropy measure, (d) Ratio of norm based measure, and (e) Ljubisa measure.





FIGURE 7: Comparison plots for the Boashash’s TFD performance measures versus different types of TFDs, (a) The proposed modified Boashash’s concentration measure ($C_n(64)$), and (b) The Boashash’s normalized instantaneous resolution measure (R_i).

demonstrate the effectiveness of the neural network-based approach against well-known and established high resolution TF methods including some popular distributions known for their high CTs suppression and energy concentration in the TF domain.

References

- [1] L. Cohen, *Time Frequency Analysis*, Upper Saddle River, NJ, USA, 1995.
- [2] I. Shafi, J. Ahmad, S. I. Shah, and F. M. Kashif, “Techniques to obtain good resolution and concentrated time-frequency distributions: a review,” *EURASIP Journal on Advances in Signal Processing*, vol. 2009, Article ID 673539, 43 pages, 2009.
- [3] B. Boashash, *Time-Frequency Signal Analysis and Processing: A Comprehensive Reference*, Elsevier, Oxford, UK, 2003.
- [4] P. Flandrin, F. Auger, and E. Chassande-Mottin, “Time-frequency reassignment: from principles to algorithms,” in *Applications in Time-Frequency Signal Processing*, A. P. Suppappola, Ed., chapter 5, pp. 179–203, CRC Press, Boca Raton, Fla, USA, 2003.
- [5] R. G. Baraniuk and D. L. Jones, “Signal-dependent time-frequency analysis using a radially Gaussian kernel,” *Signal Processing*, vol. 32, no. 3, pp. 263–284, 1993.
- [6] M. Jachan, G. Matz, and F. Hlawatsch, “Time-frequency ARMA models and parameter estimators for underspread nonstationary random processes,” *IEEE Transactions on Signal Processing*, vol. 55, no. 9, pp. 4366–4381, 2007.
- [7] I. Shafi, J. Ahmad, S. I. Shah, and F. M. Kashif, “Evolutionary time-frequency distributions using Bayesian regularised neural network model,” *IET Signal Processing*, vol. 1, no. 2, pp. 97–106, 2007.
- [8] I. Shafi, J. Ahmad, S. I. Shah, and F. M. Kashif, “Computing de-blurred time frequency distributions using artificial neural networks,” in *Circuits, Systems, and Signal Processing*, vol. 27, pp. 277–294, Springer, Berlin, Germany; Birkhäuser, Boston, Mass, USA, 2008.
- [9] I. Shafi, J. Ahmad, S. I. Shah, and F. M. Kashif, “Quantitative evaluation of concentrated time-frequency distributions,” in *Proceedings of the 17th European Signal Processing Conference (EUSIPCO ’09)*, pp. 1176–1180, Glasgow, Scotland, August 2009.
- [10] D. L. Jones and T. W. Parks, “A resolution comparison of several time-frequency representations,” *IEEE Transactions on Signal Processing*, vol. 40, no. 2, pp. 413–420, 1992.
- [11] C. E. Shannon, “A mathematical theory of communication, part I,” *Bell System Technical Journal*, vol. 27, pp. 379–423, 1948.
- [12] A. Rényi, “On measures of entropy and information,” in *Proceedings of the 4th Berkeley Symposium on Mathematical Statistics and Probability*, vol. 1, pp. 547–561, 1961.
- [13] T. H. Sang and W. J. Williams, “Renyi information and signal-dependent optimal kernel design,” in *Proceedings of the 20th International Conference on Acoustics, Speech, and Signal Processing (ICASSP ’95)*, vol. 2, pp. 997–1000, Detroit, Mich, USA, May 1995.
- [14] L. Stankovic, “Measure of some time-frequency distributions concentration,” *Signal Processing*, vol. 81, no. 3, pp. 621–631, 2001.
- [15] B. Boashash and V. Sucic, “Resolution measure criteria for the objective assessment of the performance of quadratic time-frequency distributions,” *IEEE Transactions on Signal Processing*, vol. 51, no. 5, pp. 1253–1263, 2003.